ELSEVIER

Biomembranes

Vol. 1282, 1996

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors vii

Regular papers

Effect of 17β-estradiol on chondrocyte membrane fluidity and phospholipid metabolism is membrane-specific, sex-specific, and cell maturation-dependent
Z. Schwartz, P.A. Gates, E. Nasatzky, V.L. Sylvia, J. Mendez, D.D. Dean and B.D. Boyan (Israel, USA) 1

Stable GDP analog-induced inactivation of G_i proteins promotes cardiac adenylyl cyclase inhibition by guanosine 5′-($\beta\gamma$-imino)triphosphate and muscarinic acetylcholine receptor
L. Piacentini, R. Mura, K.H. Jakobs and F. Niroomand (Germany) 11

Inhibition of ATP-diphosphohydrolase (apyrase) of *Torpedo* electric organ by 5′-*p*-fluorosulfonylbenzoyladenosine
E. Martí, I. Gómez de Aranda and C. Solsona (Spain) 17

Arginine uptake through a novel cationic amino acid:K^+ symporter, System R^+, in brush border membrane vesicles from larval *Manduca sexta* midgut
Z. Liu and W.R. Harvey (USA) 25

Cationic lysine uptake by System R^+ and zwitterionic lysine uptake by System B in brush border membrane vesicles from larval *Manduca sexta* midgut
Z. Liu and W.R. Harvey (USA) 32

Monomeric human red cell glucose transporter (Glut1) in non-ionic detergent solution and a semi-elliptical torus model for detergent binding to membrane proteins
L. Haneskog, L. Andersson, E. Brekkan, A.-K. Englund, K. Kameyama, L. Liljas, E. Greijer, J. Fischbarg and P. Lundahl (Sweden, Japan, USA) 39

A kinetic characterization of putrescine and spermidine uptake and export in human erythrocytes
G.H. Fukumoto and C.V. Byus (USA) 48

Cryptic receptors for insulin-like growth factor II in the plasma membrane of rat adipocytes – a possible link to cellular insulin resistance
Z.-W. Yu, A. Wickman and J.W. Eriksson (Sweden) 57

Caffeine as an antioxidant: inhibition of lipid peroxidation induced by reactive oxygen species
T.P.A. Devasagayam, J.P. Kamat, H. Mohan and P.C. Kesavan (India) 63

Effect of vanadate on glucose transporter (GLUT4) intrinsic activity in skeletal muscle plasma membrane giant vesicles
S. Kristiansen, J. Youn and E.A. Richter (Denmark) 71

Membrane changes associated with the temperature-sensitive $P85^{gag\text{-}mos}$-dependent transformation of rat kidney cells as determined by dielectrophoresis and electrorotation
Y. Huang, X.-B. Wang, F.F. Becker and P.R.C. Gascoyne (USA) 76

Lindane suppresses the lipid-bilayer permeability in the main transition region
M.C. Sabra, K. Jørgensen and O.G. Mouritsen (Denmark) 85

Effect of glycation of albumin on its binding to renal brush-border membrane vesicles: influence of aging in rats
P. Verbeke, M. Perichon, J. Schaeverbeke and H. Bakala (France) 93

The measurement of transmembrane electrical potential with lipophilic cations
P.D. Hockings and P.J. Rogers (Australia) 101

Association of hepatic system A amino acid transporter with the membrane-cytoskeletal proteins ankyrin and fodrin
M.E. Handlogten, E.E. Dudenhausen, W. Yang and M.S. Kilberg (USA) 107

Sulfate transport in human placental brush-border membrane vesicles
S.M. Grassl (USA) 115

Interactions of alkylglucosides with the renal sodium/D-glucose cotransporter
H. Kipp, J.-T. Lin and R.K.H. Kinne (Germany) 124

Effects of extracellular pH on intracellular pH-regulation and growth in a human colon carcinoma cell-line
G. Bischof, E. Cosentini, G. Hamilton, M. Riegler, J. Zacherl, B. Teleky, W. Feil, R. Schiessel, T.E. Machen and E. Wenzl (Austria, USA) 131

Pathway for Ca^{2+} influx into cells by trichosporin-B-VIa, an α-aminoisobutyric acid-containing peptide, from the fungus *Trichoderma polysporum*
E. Tachikawa, K. Nogimori, S. Takahashi, K.

Mizuma, K. Itoh, T. Kashimoto, Y. Nagaoka, A. Iida and T. Fujita (Japan) 140

Inhibition of calcium channel activation in GH3 cells by static magnetic fields
A.D. Rosen (USA) 149

Exogenous heat shock protein hsp70 activates potassium channels in U937 cells
Yu.A. Negulyaev, E.A. Vedernikova, A.V. Kinev and A.P. Voronin (Russia) 156

Iron transport into erythroid cells by the Na^+/Mg^{2+} antiport
L.M. Stonell, D.L. Savigni and E.H. Morgan (Australia) 163

Information for Contributors *v*

Rapid report

Temperature dependence of endocytosis in renal epithelial cells in culture
Z. Mamdouh, M.-C. Giocondi, R. Laprade and C. Le Grimellec (France, Canada) 171

Short sequence-papers

Characterization of the 3′ UTR sequence encoded by the AQP-1 gene in human retinal pigment epithelium
A. Ruiz and D. Bok (USA) 174

cDNAs from *Onchocerca* sp. encoding members of the MRS3/MRS4 class of mitochondrial solute carriers
J. Catmull and D.J. Miller (Australia, USA) 179

Regular papers

Biochemical characterization of a V-ATPase of tracheal smooth muscle plasma membrane fraction
G. Pacheco, I. Lippo de Bécemberg, R. Gonzalez de Alfonzo and M.J. Alfonzo (Venezuela) 182

H^+, K^+, and Na^+ transport across phospholipid vesicular membrane by the combined action of proton uncoupler 2,4-dinitrophenol and valinomycin
B.S. Prabhananda and M.H. Kombrabail (India) 193

The mechanism of L-glutamate transport by lactating rat mammary tissue
I.D. Millar, D.T. Calvert, M.A. Lomax and D.B. Shennan (UK) 200

Characteristics of Na^+/K^+-ATPase mediated proton current in Na^+- and K^+-free extracellular solutions. Indications for kinetic similarities between H^+/K^+-ATPase and Na^+/K^+-ATPase
J. Rettinger (Germany) 207

Isolation of mitochondrial porin of the fly *Protophormia*: porin modification by the pesticide CGA 140′408 studied in lipid bilayer membranes
P. Wiesner, B. Popp, A. Schmid, R. Benz and H. Kayser (Germany, Switzerland) 216

Uptake of neutral α- and β-amino acids by human proximal tubular cells
H. Jessen, H. Røigaard and C. Jacobsen (Denmark) 225

Membrane fluidity response to odorants as seen by ^{2}H-NMR and infrared spectroscopy
M. Bouchard, N. Boudreau and M. Auger (Canada) 233

Alteration of Na^+-coupled transport in site-directed mutants of the melibiose carrier of *Escherichia coli*
P.J. Franco and T.H. Wilson (USA) 240

Receptor affinity of neurotensin message segment immobilized on liposome
J. Zhao, S. Kimura and Y. Imanishi (Japan) 249

Human placental ATP diphosphohydrolase is a highly *N*-glycosylated plasma membrane enzyme
S. Christoforidis, T. Papamarcaki and O. Tsolas (Greece) 257

Pathways for flip-flop of mono- and di-anionic phospholipids in the erythrocyte membrane
M.V. Serra, D. Kamp and C.W.M. Haest (Italy, Germany) 263

Sodium-dependent high-affinity binding of carnitine to human placental brush border membranes
A.S. Roque, P.D. Prasad, J.S. Bhatia, F.H. Leibach and V. Ganapathy (USA) 274

Vesicles made of glycophospholipids with homogeneous (two fluorocarbon or two hydrocarbon) or heterogeneous (one fluorocarbon and one hydrocarbon) hydrophobic double chains
F. Guillod, J. Greiner and J.G. Riess (France) 283

Monovalent cations differentially affect membrane surface properties and membrane curvature, as revealed by fluorescent probes and dynamic light scattering
R. Kraayenhof, G.J. Sterk, H.W. Wong Fong Sang, K. Krab and R.M. Epand (The Netherlands, Canada) 293

Cumulative Contents, Vol. 1282 303

Author index 305